

MessageLog Database info

<https://moodle.ria.ee/mod/page/view.php?id=694>

```
psql -h 127.0.0.1 -U messageLog <password from /etc/xroad/db.properties>
```

Kui palju kirjeid on tabelis

```
select count( *) from logrecord;
```

Milline on kõige vanem sõnumilgi kirje baasis

```
select to_timestamp(min( time )::float/1000) from logrecord;
```

Kui palju on ajatembedamata sõnumeid

```
select count(1) from logrecord where discriminator::text = 'm'::text and signaturehash is not null;
```

Viimane ajatembeldamata sõnum

```
select to_timestamp(min(time)::float/1000) from logrecord where discriminator::text = 'm'::text and signaturehash is not null;
```

Kui palju on ajatembeldatud aga arhiveerimata sõnumeid

```
select count(1) from logrecord where timestamprecord in (select id from logrecord where discriminator::text = 't'::text and archived = false);
```

Viimane ajatembeldatud aga arhiveerimata sõnum

```
select to_timestamp(min(time)::float/1000) from logrecord where timestamprecord in (select id from logrecord where discriminator::text = 't'::text and archived = false);
```

Size of the largest row in logrecord table

```
select t.id, t.archived, (pg_column_size(t.message)) as size from logrecord t where message IS NOT NULL order by size desc;
```

Revision #1

Created 2024-12-27 20:30:17 UTC by Admin

Updated 2024-12-27 20:30:30 UTC by Admin